Product identifier used on the label: PREFRED LUBRICNTS 0 WW6/

Product Code: PE2WW06P Revision Date: 07-26-2023

Replaces:

1. Identification

Product identifier used on the label: PREFRED LUBRICNTS 0 WW6/

Product Code: PE2WW06P

Other means of identification:

Synonyms: No data available

Recommended use of the chemical and restrictions on use:

Recommended use: Windshield Wash

Restrictions on use: Uses other than those described above

Name, address, and telephone number

of the chemical manufacturer,

importer, or other responsible party:

Highline Warren LLC

4500 Malone Road

Memphis, TN 38118

Phone number: +01 (901) 437-8615

E-mail address: sds@highlinewarren.com

Emergency phone number: CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Hazard Symbols:







GHS Classification: Flammable Liquid Category 3

Acute Toxicity - Oral Category 4

Acute Toxicity - Dermal Category 4

Acute Toxicity - Inhalation Vapor Category 4

Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category

1

Signal Word: Danger

Hazard Statements: Flammable liquid and vapor; Harmful if swallowed, in contact with skin or

if inhaled; Causes damage to organs

Precautionary Statements:

Prevention: Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

Keep container tightly closed. Ground/bond container and receiving

Product identifier used on the label: PREFRED LUBRICNTS 0 WW6/

Product Code: PE2WW06P Revision Date: 07-26-2023

Replaces:

equipment. Use explosion-proof electrical/ventilating/lighting

equipment. Use only non-sparking tools. Take precautionary measures

against static discharge. Do not breathe

dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye

protection/face protection.

Response: If swallowed: Call a poison center/doctor if you feel unwell. If on skin (or

hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If exposed: Call a poison center/doctor. Specific treatment (see Sections 4 - 8 of Safety Data Sheet). Rinse mouth.

In case of fire: Use an appropriate extinguisher (see section 5) to

extinguish. Wash contaminated clothing before reuse.

Storage: Store in a well-ventilated place. Keep cool. Store locked up.

Disposal: Dispose of contents/container in accordance with

local/regional/national/international regulations.

Hazards not otherwise classified:No data available

3. Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS#	%	
Methanol	No data available	67-56-1	10 - 30	

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Inhalation: If inhaled: Remove person to fresh air and keep comfortable for

breathing.

Eye Contact: Use an eye wash to remove a chemical from your eye regardless of the

level of hazard. Flush the affected eye for at least twenty minutes. Tilt the head to prevent chemical from transferring to the uncontaminated

eye. Seek medical advice after flushing.

Skin Contact: If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower. Specific treatment (see Sections 4 - 8 of Safety

Data Sheet). Wash contaminated clothing before reuse.

Product identifier used on the label: PREFRED LUBRICNTS 0 WW6/

Product Code: PE2WW06P Revision Date: 07-26-2023

Replaces:

Ingestion: If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth.

Most important symptoms/effects,

acute and delayed:

Indication of immediate medical attention and special treatment needed, if necessary:

Impaired vision. Muscle pains. Temporary or permanent blindness. Systemic effects similar to those resulting from ingestion. Mental confusion. Coughing. Drowsiness. Dizziness. Headache. Nausea Vomiting. Specific treatment (see Sections 4 - 8 of Safety Data Sheet). If exposed:

Call a poison center/doctor.

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical extinguishing

agents. Water may be ineffective but water spray can be used to

extinguish a fire if swept across the base of the flames. Water can absorb

heat and keep exposed material from being damaged by fire.

Unsuitable extinguishing media: No data available

Specific hazards arising from the

chemical:

Vapors may be ignited by sparks, flames or other sources of ignition if material is above the flash point giving rise to a fire (Class B). Vapors are heavier than air and may travel to a source of ignition and flash back.

Hazardous combustion products: Carbon monoxide, Formaldehyde

Special protective equipment and precautions for fire-fighters:

Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential for hazardous vapors and decomposition products. Flammable component(s) of this material may be lighter than water and burn while floating on the

surface.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Exposure to the spilled material may be severely irritating or toxic. Follow personal protective equipment recommendations found in Section 8 of this SDS. Personal protective equipment needs must be evaluated based on the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the expertise of employees in the area responding to the spill. Never exceed any occupational exposure limits.

Product identifier used on the label: PREFRED LUBRICNTS 0 WW6/

Product Code: PE2WW06P **Revision Date: 07-26-2023**

Replaces:

and cleaning up:

Methods and materials for containment Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material. Gather and store in a

sealed container pending a waste disposal evaluation.

7. Handling and storage

Precautions for safe handling: Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

> Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/

> equipment. Use only non-sparking tools. Take precautionary measures

against static discharge.

Conditions for safe storage, including

any incompatibilities:

Safe storage conditions: Store in a well-ventilated place. Keep cool. Store locked up.

Materials to Avoid/Chemical

Incompatibility:

Strong oxidizing agents, Strong acids, Peroxides, Hypochlorites, Acetic

anhydride, Caustics (bases)

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical component	OSHA PEL	ACGIH TLV	ACGIH STEL	IDLH	US WEEL
Methanol	200 ppm TWA;	200 ppm TWA	250 ppm STEL	6000 ppm IDLH	No data
	260 mg/m3				available
	TWA				

Appropriate engineering controls: Use only outdoors or in a well-ventilated area. Use local exhaust

ventilation or other engineering controls to minimize exposures and

maintain operator comfort.

Individual protection measures, such as personal protective equipment:

Respiratory Protection: Do not breathe dust/fume/gas/mist/vapors/spray.

Respirator Type(s): If airborne concentrations are above the applicable exposure limits, use

NIOSH/MSHA approved respiratory protection. A respiratory protection

program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2

requirements must be followed whenever workplace conditions warrant

Product identifier used on the label: PREFRED LUBRICNTS 0 WW6/

Product Code: PE2WW06P Revision Date: 07-26-2023

Replaces:

a respirator's use.

Eye protection: Wear safety glasses when handling this product if there is a likelihood of

contact with eyes. An eye wash station must be available where this

product is used.

Skin protection: Wear protective gloves. Inspect gloves for chemical break-through and

replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating,

drinking, and when leaving work.

Gloves: Butyl rubber, Polyethylene, Polyvinylalcohol

Other protective equipment: An eye wash station must be available where this product is used.

General hygiene conditions: Do not eat, drink or smoke when using this product. Wear protective

gloves/protective clothing/eye protection/face protection. Wash hands

thoroughly after handling.

9. Physical and chemical properties

Appearance (physical state, color etc.):

Physical state: Liquid
Color: Blue
Odor: Mild

Odor Threshold: Not determined PH: No data available

Melting point/freezing point:

 Melting Point:
 No data available

 Freezing point:
 No data available

 No data available
 No data available

Initial boiling point and boiling range

(°C):

No data available

Flash Point (°C): 39

Evaporation Rate: No data available **Flammability (solid, gas):** No data available

Upper/lower flammability or explosive

limits:

Upper flammability or explosive

limits:

Not established

Lower flammability or explosive Not established

Product identifier used on the label: PREFRED LUBRICNTS 0 WW6/

Product Code: PE2WW06P **Revision Date: 07-26-2023**

Replaces:

limits:

No data available Vapor pressure: No data available Vapor density:

Relative density: 0.96

Solubility(ies): Complete; 100% Partition coefficient: n-octanol/water: No data available **Auto-ignition temperature:** No data available **Decomposition Temperature:** Not determined Viscosity: No data available

10. Stability and reactivity

Reactivity: There are no known reactivity hazards associated with this product.

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: None expected under standard conditions of storage.

Conditions to avoid (e.g., static Temperatures above flash point in combination with sparks, open flames,

discharge, shock, or vibration): or other sources of ignition. Visible light

Incompatible materials: Strong oxidizing agents, Strong acids, Peroxides, Hypochlorites, Acetic

anhydride, Caustics (bases)

Hazardous decomposition products: Carbon monoxide, Formaldehyde

11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

Information on the likely routes of exposure (inhalation, ingestion, skin

and eye contact):

Ingestion, Absorption, Inhalation, Skin contact

Symptoms related to the physical,

chemical and toxicological

characteristics:

Impaired vision. Muscle pains. Temporary or permanent blindness. Systemic effects similar to those resulting from ingestion. Mental

confusion. Coughing. Drowsiness. Dizziness. Headache. Nausea Vomiting.

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Harmful if swallowed, in contact with skin or if inhaled Ingestion:

Skin Contact: This material is likely to be moderately irritating to skin based on animal

data. Can cause moderate skin irritation, defatting, and dermatitis. Not

likely to cause permanent damage.

Product identifier used on the label: PREFRED LUBRICNTS 0 WW6/

Product Code: PE2WW06P Revision Date: 07-26-2023

Replaces:

Inhalation: Harmful! Can cause systemic damage (see "Target Organs"). Likely to be

slightly toxic based on animal data.

Eye Contact:The material is likely to be moderately irritating to eyes based on animal

data. Can cause minor irritation, tearing and reddening.

Sensitization: Non-hazardous under Respiratory Sensitization category.Negative skin

sensitizer

Mutagenicity: No data available to indicate product or any components present at

greater than 0.1% is mutagenic or genotoxic.

Carcinogenicity:None of the substances have been shown to cause cancer in long term

animal studies. Not a carcinogen according to NTP, IARC, or OSHA.

Reproductive toxicityContains a substance that is a possible reproductive system hazard based

on animal studies using routes of exposure not applicable in the

workplace.

STOT-single exposure: Classification has been based on toxicological information of the

components in Section 3.

STOT-repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

Other information: None known.

Numerical measures of toxicity (such as acute toxicity estimates)

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Methanol	Oral LD50 Rat 6200 mg/kg	Dermal LD50 Rabbit 15800 mg/kg	Inhalation LC50 (8h) Rat 22500 ppm	

Classification has been based on toxicological information of the components in Section 3.

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA:

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
There are no components			
that are known or reported			
to cause cancer.			

12. Ecological information

Product identifier used on the label: PREFRED LUBRICNTS 0 WW6/

Product Code: PE2WW06P **Revision Date:** 07-26-2023

Replaces:

Ecotoxicity (aquatic and terrestrial, where available):

Slight ecological hazard. In high concentrations, this product may be

dangerous to plants and/or wildlife.

Ecological Toxicity Data:

Chemical Name	CAS#	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Methanol	67-56-1	No data available	No data available	LC50 (96h) Lepomis macrochirus (Bluegill) 13500 - 17600 mg/L LC50 (96h) Rainbow Trout 18 - 20 ml/l LC50 (96h) Rainbow Trout 19500 - 20700 mg/L LC50 (96h) Pimephales promelas (Fathead Minnow) > 100 mg/L LC50 (96h) Pimephales promelas (Fathead Minnow) > 28200 mg/L

Persistence and degradability: Biodegrades quickly.

Bioaccumulative potential: Bioconcentration is not expected to occur.

Mobility in soil: This material is expected to have very high mobility in soil. It does not

absorb to most soil types. This material is expected to evaporate quickly

from surface soils and/or waters.

Other adverse effects (such as hazardous to the ozone layer):

None known.

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the

Dispose of contents and container in accordance with local/regional/national/international regulations.

Product identifier used on the label: PREFRED LUBRICNTS 0 WW6/

Product Code: PE2WW06P **Revision Date:** 07-26-2023

Replaces:

disposal of any contaminated

packaging:

Waste codes / waste designations: D001

Contaminated packaging: Containers of this material may be hazardous when emptied.

14. Transport information

Carriage of dangerous goods by road (DOT), rail or inland waterways:

DOT Basic Description: Product classed as a combustible liquid in a non-bulk packaging (<119

gallons) is not subject to the requirements listed in 49 CFR 173.150(f)(2).

International carriage of dangerous goods by sea (IMDG/IMO):

UN number: UN1993

UN Proper shipping name: FLAMMABLE LIQUIDS, N.O.S

Technical Name: METHANOL

Transport hazard class(es): 3
Packing group, if applicable: III

Exception: LTD QTY **EMS#:** F-E,S-E

International carriage of dangerous goods by air (IATA):

UN number: UN1993

UN Proper shipping name: FLAMMABLE LIQUIDS, N.O.S

Technical Name: METHANOL

Transport hazard class(es): 3
Packing group, if applicable: III

Exception LTD QTY

Environmental hazards (e.g., Marine

pollutant (Yes/No)):

None.

Transport in bulk (according to Annex II

of MARPOL 73/78 and the IBC Code):

No data available

Special precautions which a user needs

to be aware of or needs to comply with

No data available

Product identifier used on the label: PREFRED LUBRICNTS 0 WW6/

Product Code: PE2WW06P Revision Date: 07-26-2023

Replaces:

in connection with transport or conveyance either within or outside

their premises:

15. Regulatory information

Safety, health and environmental regulations specific for the product in question:

TSCA Status: All components of this material are on the Active US TSCA Inventory or

are exempt.

Regulated Components:

Chemical Name	CAS#	CERCLA	Sara EHS	Sara 313	U.S. HAP
Methanol	67-56-1	Υ	N	Y	Υ

Chemical Name	CAS#	California Prop 65 - Cancer	California Prop 65 - Dev. Toxicity	California Prop 65 - Reprod fem	California Prop 65 - Reprod male
Methanol	67-56-1	N	Υ	N	N

California Prop 65

This product can expose you to methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Chemical Name	CAS#	Massachusetts RTK List	New Jersey RTK List	Pennsylvania RTK List	Rhode Island RTK List	Minnesota Hazardous Substance List
Methanol	67-56-1	Υ	Υ	Υ	N	Υ

16. Other information, including date of preparation or last revision.

SDS Prepared by: CDURSTON Revision Date: 07-26-2023

Revision Number: 1

Reason for revision: NEW ITEM

References: No data available
Other Info: No data available

Disclaimer: This safety data sheet and the information it contains is offered to you in

Product identifier used on the label: PREFRED LUBRICNTS 0 WW6/

Product Code: PE2WW06P **Revision Date:** 07-26-2023

Replaces:

good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.